

DIGITAL COLOR MINI CAMERA

HTC-2H6C

SPECIFICATIONS

ITEM	HTC-2H6C
PICK UP	1/3" CCD image sensor
IMAGE SIZE H x V mm	3.64 x 4.82
PICTURE ELEMENTS	NTSC:771H x 492V - PAL:753H x 582V
HORIZONTAL RESOLUTION	More than 480 TV lines
HORI. SYNC. FREQUENCY	NTSC:15.734kHz - PAL:15.625kHz
CLOCK FREQUENCY	NTSC:19.0699MHz - PAL:19.3125MHz
SCANNING SYSTEM	2:1 INTERLACE
SENSITIVITY	0.1 Lux F=1.2
SYNCHORIZATION	Internal
S/N RATIO	More than 48dB
ELECTRONIC SHUTTER	Up to 1/100,000 sec.(Linear) , AUTO (Preset)
WHITE BALANCE	Auto White Balance
GAMMA	0.45
VIDEO OUTPUT	1 Vpp, 75 Ohms
AGC	AUTO (Preset)
LENS	3.6mm Lens (Standard)
POWER SUPPLY	12V DC(+/-10%)
POWER CONSUMPTION	'130mA (+/-10) for 12V DC
STORAGE TEMPERATURE	'-30 to +60 Degree C
OPERATING TEMPERATURE	'-10 to +45 Degree C

Optional lens:2.9mm, 6.0mm, 8.0mm, 12.0mm lens.

*SPECIFICATION ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Dimensions & Connector

